



The natural choice to insulate your home





Low itch and soft to touch



Hypoallergenic, suitable for homes with asthma and allergy sufferers



Easy to install



Australian made, meets requirements of AS/NZS4859.1



Bradford Black, naturally a better choice for your family.

INSULATION - FOR COMFORT AND ENERGY EFFICIENCY

Insulation is the most cost effective way of making Australian homes more comfortable and energy efficient. Insulation acts as a barrier to heat flow through the walls and ceilings of a home, keeping them cooler in summer and warmer in winter.

By reducing the amount of heat entering or leaving the home, insulation helps homes achieve a comfortable internal temperature with less need for artificial heating and cooling. This makes homes more energy efficient and helps reduce energy bills which is good for the environment and great for the hip pocket.

WHAT MAKES BRADFORD BLACK SO DIFFERENT?

Bradford Black is soft to touch and comfortable to handle, yet retains its shape as it is installed.

It is made with non-harmful natural binders that are hypoallergenic, and better for the environment too. It has very little odour, does not contain any volatile organic compounds (VOC) and no ozone depleting products are used in its manufacture.

In fact, Bradford Black is so safe it's approved by the National Asthma Council's Sensitive Choice program, making it suitable for use in homes with asthma and allergy sufferers.





YOU CAN TRUST BRADFORD BLACK TO PERFORM:

- Easy to install
- Soft to touch
- Low itch
- Hypoallergenic, approved partner of National Asthma Council's Sensitive Choice program
- Retains rigidity when installing
- Sustainably made with renewable raw materials
- Australian made
- Low odour
- Non combustible
- Meets requirements of AS/NZS4859.1
- 70 year product warranty

THE COMFORTABLE CHOICE FOR DIY INSTALLATION

Installation is easy for homeowners, handymen and builders. The batts are tightly compressed into lightweight packs for easy transport and storage. They retain their shape and rigidity for easier installation, and are low itch and soft to touch.



BRADFORD BLACK PRODUCT RANGE

R-VALUE	THICKNESS (mm)	STANDARD SIZE (mm)	PIECES PER PACK	m² PER PACK	COVERAGE PER PACK (m²)	MULTI PACK	PRODUCT
WALL BATTS							
R1.5	75	1160 x 430	22	11.0	12.5	7	153052
R1.5	75	1160 x 580	22	14.8	16.7	7	153030
R2.0	90	1160 x 430	22	11.0	12.5	5	153029
R2.0	90	1160 x 580	18	12.1	13.6	6	153028
R2.5 (HP)	90	1160 x 420	8	3.9	4.5	5	154933
R2.5 (HP)	90	1160 x 570	8	5.3	6.0	5	154951
CEILING BATTS							
R3.0	165	1160 x 430	16	8.0	9.0	6	182792
R3.0	165	1160 x 580	16	10.8	12.2	6	182791
R3.5	185	1160 x 430	16	8.0	9.0	5	153056
R3.5	185	1160 x 580	10	6.7	7.6	8	153055
R4.1	205	1160 x 430	10	5.0	5.6	7	153054
R4.1	205	1160 x 580	10	6.7	7.6	7	153053
R5.0 (HP)	240	1160 x 430	8	4.0	4.5	5	166915
R5.0 (HP)	240	1160 x 580	8	5.4	6.1	5	166914

PERFORMANCE YOU CAN TRUST

Bradford Black insulation is manufactured in Australia under ISO 9002 Quality Systems and complies with AS/NZS4859.1 'Materials for the Thermal insulation of Buildings'. Established in 1934, CSR Bradford is Australia's most experienced insulation company. This experience, combined with our world class manufacturing technology, is your guarantee of quality and performance.

BEST POSSIBLE FIRE RATING

Bradford Black is non combustible. It achieves the best possible fire rating when tested to AS/NZS1530.3.

For further information call 1300 850 305 or visit bradfordblack.com.au



CSR Bradford Locked Bag 1345 North Ryde BC NSW 1670 bradfordinsulation.com.au





CSR Bradford



The contents of this brochure are copyright protected and may not be reproduced in any form without prior written consent of CSR Bradford. Recommendations and advice regarding the use of the products described in this brochure are to be taken as a guide only, and are given without liability on the part of the company or its employees. We reserve the right to change product specifications without prior notification, please refer to the CSR Bradford website for the latest revision of this document. The purchaser should independently determine the suitability of the product for the intended use and application.



